


NEXT ASSEMBLY
E.W.O. 3234

ISSUE	REVISION RECORD	DATE	APPD.
-------	-----------------	------	-------

70MTC/818A TIEDOWN ASSEMBLY (VEHICLE)



SPECIFICATIONS

MATERIAL:
ALL CONSTRUCTION IS PER BEST COMMERCIAL QUALITY. SEE CHART FOR SPECIFIC MATERIAL.

STRENGTH:
SAFE WORKING—35,000 LBS.
PROOF: 38,500 LBS.
MINIMUM BREAK—70,000 LBS.

FINISH:
ALL SURFACE FINISHES PROVIDE GOOD CORROSION PROTECTION. SEE CHART FOR SPECIFIC FINISH.

WEIGHT:
39.3 KGS. [86.5 LBS.]

COMPLETE ASSEMBLY	
MODEL NO.	USEABLE LENGTH 'A'
70MTC/818A	37.0" TO 189.0"

TENSIONER ASSEMBLY	
MODEL NO.	DIM. 'B'
70MTC-1/818A	27.0"

CHAIN ASSEMBLY	
MODEL NO.	DIM. 'C'
70MTC-2/818A	167.0"

70MTC/818A TIEDOWN ASSEMBLY (VEHICLE)


Peck & Hale PECK & HALE
180 DIVISION AVENUE
W. SAYVILLE, N.Y. 11796 U.S.A.

THIS DRAWING AND ANY PRINT MADE THEREFROM IS THE EXCLUSIVE PROPERTY OF PECK & HALE, IT MUST NOT BE TRACED NOR REPRODUCED IN ANY MANNER NOR SHALL IT BE SUBMITTED TO OUTSIDE PARTIES FOR EXAMINATION WITHOUT OUR WRITTEN CONSENT. IT SHALL BE USED ONLY AS MEANS OF REFERENCE TO WORK DESIGNED OR FURNISHED BY US.

FSCM No: 94658	DRN: S. JEFFREY	SHEET 1 OF
DATE: 11/12/12	CHK:	3979 DWG. NO.
SCALE: NONE	APPD:	

ITEM NO.	PART NAME	PART DESCRIPTION
5	SHOCK MITIGATOR	CHAIN/ELASTOMER COMPOUND
4	HOOK	STEEL, ZINC PLATED
3	HOOK	STEEL, GALVANIZED
2	CHAIN	STEEL, ZINC PLATED
1	TENSIONER	STEEL, GALVANIZED

LIST OF COMPONENTS



4

3

2

1

4

3

2

1