


NEXT ASSEMBLY
E.W.O. 2136

ISSUE	REVISION RECORD	DATE	APPD.
-------	-----------------	------	-------

70M/818 TIEDOWN ASSEMBLY (VEHICLE)



SPECIFICATIONS

MATERIAL:
ALL CONSTRUCTION IS PER BEST COMMERCIAL QUALITY. SEE CHART FOR SPECIFIC MATERIAL.

STRENGTH:
PROOF-35,000 LBS.
MINIMUM BREAK-70,000 LBS.

FINISH:
ALL SURFACE FINISHES PROVIDE GOOD CORROSION PROTECTION. SEE CHART FOR SPECIFIC FINISH.

WEIGHT:
45.5 KGS. [100.0 LBS.]

COMPLETE ASSEMBLY	
MODEL NO.	USEABLE LENGTH 'A'
70M/818	56.13" TO 130.63"

TENSIONER ASSEMBLY	
MODEL NO.	DIM. 'B'
70M-1/818	19.13"

WIRE ROPE ASSEMBLY	
MODEL NO.	DIM. 'C'
70M-2/818	78.0"


70M/818 TIEDOWN ASSEMBLY (VEHICLE)



PECK & HALE
180 DIVISION AVENUE
W. SAYVILLE, N.Y. 11796 U.S.A.

THIS DRAWING AND ANY PRINT MADE THEREFROM IS THE EXCLUSIVE PROPERTY OF PECK & HALE. IT MUST NOT BE TRACED NOR REPRODUCED IN ANY MANNER NOR SHALL IT BE SUBMITTED TO OUTSIDE PARTIES FOR EXAMINATION WITHOUT OUR WRITTEN CONSENT. IT SHALL BE USED ONLY AS MEANS OF REFERENCE TO WORK DESIGNED OR FURNISHED BY US.

FSCM No: 94658	DRN: S. JEFFREY	SHEET	OF
DATE: 11/6/12	CHK: L. MESZAROS	1247	REV.
SCALE: NONE	APPD: L. MESZAROS		



APPLICATION

ITEM NO.	PART NAME	PART DESCRIPTION
5	HOOK	STEEL, ZINC PLATED
4	HOOK	STEEL, GALVANIZED
3	HIGH TENSION UNIT	STEEL, ZINC PLATED
2	WIRE ROPE	STEEL, GALVANIZED
1	TENSIONER	STEEL, GALVANIZED

LIST OF COMPONENTS

4

3

2

1

4

3

2

1